



## Anhui Xiaoyi Bearing Import & Export ...



LCJO1 11/16 Bearing 2D drawings and 3D CAD models

### TIMKEN LCJO1 11/16 Flange Block Bearings

Bearing No. LCJO1 11/16

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	3.57
EAN	0087796059917
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Eccentric Collar
Housing Style	4 Bolt Square Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	9/16 Inch
Relubricatable	Yes
Insert Part Number	GN111KLLB
Seals	Double Labyrinth
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Square Flange Block; 1-11/16" Bore; 6.2" Bolt Circle; 4-3/8" Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 1-11/16" Length Thru Bore; Relubri
Other Features	Single Row   Heavy Duty



## Anhui Xiaoyi Bearing Import & Export ...

	Wide Inner Race   With Set Screw
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Manufacturer Item Number	LCJO 1 11/16
Weight / LBS	7.87
Cartridge Pilot Diameter	0 Inch   0 Millimeter
Cartridge Pilot Depth	0 Inch   0 Millimeter
d	1.688 Inch   42.875 Millimeter
D	1.688 Inch   42.87 Millimeter
Bolt Spacing	4.375 Inch   111.13 Millimeter
Nominal Bolt Circle Diameter Round	6.2 Inch   157 Millimeter
Shaft Size d	1 11/16 in
Dimension D	4.874 in
Dimension E	2.457 in
Inside Ring Outside Diameter	2.728 in
Series	Medium-Duty
Weight	7.88 lb
Seal Type	Labyrinth Seal
Total Length L	142.9 mm
Housing Width A	1.843 in
Bolt Hole Spacing J	111.1 mm
Bolt Hole Size N	14.00 mm
Flange Thickness A1	17.5 mm
Center of Bearing from	23.5 mm



## Anhui Xiaoyi Bearing Import & Export ...

Housing End A2	
Inside Ring Width B	=Bearings1_Inside Ring Width= mm
Bolt Size	M14
Center of Bearing from Bearing End S	23.5 mm
Static Load Rating	7120 lbf
Dynamic Load Rating	13200 lbf